

Eurocode 8: Konstruktioner i seismiske områder – Del 1: Generelle regler, seismiske påvirkninger og regler for bygninger

Eurocode 8: Design of structures for earthquake
resistance – Part 1: General rules, seismic actions
and rules for buildings

DANSK STANDARD
Danish Standards Association

Kollegievej 6
DK-2920 Charlottenlund
Tel: +45 39 96 61 01
Fax: +45 39 96 61 02
dansk.standard@ds.dk
www.ds.dk

DS/EN 1998-1

København

DS projekt: 54298

ICS: 91.080.01; 91.120.25

Første del af denne publikations betegnelse er:

DS/EN, hvilket betyder, at det er en europæisk standard, der har status som dansk standard.

Denne publikations overensstemmelse er:

IDT med: EN 1998-1:2004.

DS-publikationen er på engelsk.

Denne publikation erstatter: DS/ENV 1998-1-1:1995, DS/ENV 1998-1-2:1995 og DS/ENV 1998-1-3:1995, samt eventuelle tillæg og rettelsesblade.

DS-publikationstyper

DANSK STANDARD udgiver forskellige publikationstyper.

Typen på denne publikation fremgår af forsiden.

Der kan være tale om:

Dansk standard

- standard, der er udarbejdet på nationalt niveau, eller som er baseret på et andet lands nationale standard eller
- standard, der er udarbejdet på internationalt og/eller europæisk niveau, og som har fået status som dansk standard

DS-information

- publikation, der er udarbejdet på nationalt niveau, og som ikke har opnået status som standard, eller
- publikation, der er udarbejdet på internationalt og/eller europæisk niveau, og som ikke har fået status som standard, fx en teknisk rapport, eller
- europæisk præstandard

DS-håndbog

- samling af standarder, eventuelt suppleret med informativt materiale

DS-hæfte

- publikation med informativt materiale

Til disse publikationstyper kan endvidere udgives

- tillæg og rettelsesblade

DS-publikationsform

Publikationstyperne udgives i forskellig form som henholdsvis

- fuldtekstpublikation (publikationen er trykt i sin helhed)
- godkendelsesblad (publikationen leveres i kopi med et trykt DS-omslag)
- elektronisk (publikationen leveres på et elektronisk medie)

DS-betegnelse

Alle DS-publikationers betegnelse begynder med DS efterfulgt af et eller flere præfikser og et nr. fx **DS 383**, **DS/EN 5414** osv. Hvis der efter nr. er angivet at **A** eller **Cor**, betyder det, enten at det er et **tillæg** eller et **rettelsesblad** til hovedstandard, eller at det er indført i hovedstandard.

DS-betegnelse angives på forsiden.

Overensstemmelse med anden publikation:

Overensstemmelse kan enten være IDT, EQV, NEQ eller MOD

- **IDT:** Når publikationen er identisk med en given publikation.
- **EQV:** Når publikationen teknisk er i overensstemmelse med en given publikation, men præsentationen er ændret.
- **NEQ:** Når publikationen teknisk eller præsentationsmæssigt ikke er i overensstemmelse med en given standard, men udarbejdet på baggrund af denne.
- **MOD:** Når publikationen er modificeret i forhold til en given publikation.

English version

Eurocode 8: Design of structures for earthquake resistance - Part 1: General rules, seismic actions and rules for buildings

Eurocode 8: Calcul des structures pour leur résistance aux
séismes - Partie 1: Règles générales, actions sismiques et
règles pour les bâtiments

Eurocode 8: Auslegung von Bauwerken gegen Erdbeben -
Teil 1: Grundlagen, Erdbebeneinwirkungen und Regeln für
Hochbauten

This European Standard was approved by CEN on 23 April 2004.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents	Page
FOREWORD	8
1 GENERAL	15
1.1 SCOPE	15
1.1.1 Scope of EN 1998.....	15
1.1.2 Scope of EN 1998-1	15
1.1.3 Further Parts of EN 1998.....	16
1.2 NORMATIVE REFERENCES.....	16
1.2.1 General reference standards.....	16
1.2.2 Reference Codes and Standards.....	17
1.3 ASSUMPTIONS	17
1.4 DISTINCTION BETWEEN PRINCIPLES AND APPLICATION RULES	17
1.5 TERMS AND DEFINITIONS	17
1.5.1 Terms common to all Eurocodes.....	17
1.5.2 Further terms used in EN 1998.....	17
1.6 SYMBOLS	19
1.6.1 General	19
1.6.2 Further symbols used in Sections 2 and 3 of EN 1998-1.....	19
1.6.3 Further symbols used in Section 4 of EN 1998-1.....	20
1.6.4 Further symbols used in Section 5 of EN 1998-1.....	21
1.6.5 Further symbols used in Section 6 of EN 1998-1.....	24
1.6.6 Further symbols used in Section 7 of EN 1998-1.....	25
1.6.7 Further symbols used in Section 8 of EN 1998-1.....	27
1.6.8 Further symbols used in Section 9 of EN 1998-1.....	27
1.6.9 Further symbols used in Section 10 of EN 1998-1.....	28
1.7 S.I. UNITS	28
2 PERFORMANCE REQUIREMENTS AND COMPLIANCE CRITERIA	29
2.1 FUNDAMENTAL REQUIREMENTS.....	29
2.2 COMPLIANCE CRITERIA.....	30
2.2.1 General	30
2.2.2 Ultimate limit state	30
2.2.3 Damage limitation state.....	31
2.2.4 Specific measures	32
2.2.4.1 Design	32
2.2.4.2 Foundations.....	32
2.2.4.3 Quality system plan.....	32
3 GROUND CONDITIONS AND SEISMIC ACTION	33
3.1 GROUND CONDITIONS	33
3.1.2 Identification of ground types.....	33
3.2 SEISMIC ACTION.....	35
3.2.1 Seismic zones	35
3.2.2 Basic representation of the seismic action.....	36
3.2.2.1 General.....	36
3.2.2.2 Horizontal elastic response spectrum.....	37
3.2.2.3 Vertical elastic response spectrum	40
3.2.2.4 Design ground displacement	41
3.2.2.5 Design spectrum for elastic analysis.....	41
3.2.3 Alternative representations of the seismic action	42
3.2.3.1 Time - history representation	42
3.2.3.2 Spatial model of the seismic action.....	43
3.2.4 Combinations of the seismic action with other actions.....	44
4 DESIGN OF BUILDINGS	45
4.1 GENERAL	45

4.1.1	Scope	45
4.2	CHARACTERISTICS OF EARTHQUAKE RESISTANT BUILDINGS	45
4.2.1	Basic principles of conceptual design.....	45
4.2.1.1	Structural simplicity	45
4.2.1.2	Uniformity, symmetry and redundancy.....	45
4.2.1.3	Bi-directional resistance and stiffness	46
4.2.1.4	Torsional resistance and stiffness.....	46
4.2.1.5	Diaphragmatic behaviour at storey level	46
4.2.1.6	Adequate foundation	47
4.2.2	Primary and secondary seismic members	47
4.2.3	Criteria for structural regularity	48
4.2.3.1	General.....	48
4.2.3.2	Criteria for regularity in plan.....	49
4.2.3.3	Criteria for regularity in elevation.....	50
4.2.4	Combination coefficients for variable actions	52
4.2.5	Importance classes and importance factors	52
4.3	STRUCTURAL ANALYSIS	53
4.3.1	Modelling	53
4.3.2	Accidental torsional effects	54
4.3.3	Methods of analysis	54
4.3.3.1	General.....	54
4.3.3.2	Lateral force method of analysis	56
4.3.3.3	Modal response spectrum analysis	59
4.3.3.4	Non-linear methods.....	61
4.3.3.5	Combination of the effects of the components of the seismic action	64
4.3.4	Displacement calculation.....	66
4.3.5	Non-structural elements.....	66
4.3.5.1	General.....	66
4.3.5.2	Verification	67
4.3.5.3	Importance factors.....	68
4.3.5.4	Behaviour factors	68
4.3.6	Additional measures for masonry infilled frames.....	68
4.3.6.1	General.....	68
4.3.6.2	Requirements and criteria.....	69
4.3.6.3	Irregularities due to masonry infills	69
4.3.6.4	Damage limitation of infills	70
4.4	SAFETY VERIFICATIONS	71
4.4.1	General	71
4.4.2	Ultimate limit state	71
4.4.2.1	General.....	71
4.4.2.2	Resistance condition.....	71
4.4.2.3	Global and local ductility condition	72
4.4.2.4	Equilibrium condition	74
4.4.2.5	Resistance of horizontal diaphragms.....	74
4.4.2.6	Resistance of foundations.....	74
4.4.2.7	Seismic joint condition.....	75
4.4.3	Damage limitation	76
4.4.3.1	General.....	76
4.4.3.2	Limitation of interstorey drift.....	76
5	SPECIFIC RULES FOR CONCRETE BUILDINGS	78
5.1	GENERAL	78
5.1.1	Scope	78
5.1.2	Terms and definitions	78
5.2	DESIGN CONCEPTS	80
5.2.1	Energy dissipation capacity and ductility classes	80
5.2.2	Structural types and behaviour factors.....	81
5.2.2.1	Structural types	81
5.2.2.2	Behaviour factors for horizontal seismic actions.....	82
5.2.3	Design criteria	84
5.2.3.1	General.....	84
5.2.3.2	Local resistance condition.....	84
5.2.3.3	Capacity design rule.....	84
5.2.3.4	Local ductility condition	84

EN 1998-1:2004 (E)

5.2.3.5	Structural redundancy	86
5.2.3.6	Secondary seismic members and resistances	86
5.2.3.7	Specific additional measures	86
5.2.4	Safety verifications	87
5.3	DESIGN TO EN 1992-1-1	87
5.3.1	General	87
5.3.2	Materials	88
5.3.3	Behaviour factor	88
5.4	DESIGN FOR DCM	88
5.4.1	Geometrical constraints and materials	88
5.4.1.1	Material requirements	88
5.4.1.2	Geometrical constraints	88
5.4.2	Design action effects	89
5.4.2.1	General	89
5.4.2.2	Beams	89
5.4.2.3	Columns	91
5.4.2.4	Special provisions for ductile walls	92
5.4.2.5	Special provisions for large lightly reinforced walls	94
5.4.3	ULS verifications and detailing	95
5.4.3.1	Beams	95
5.4.3.2	Columns	97
5.4.3.3	Beam-column joints	100
5.4.3.4	Ductile Walls	100
5.4.3.5	Large lightly reinforced walls	104
5.5	DESIGN FOR DCH	106
5.5.1	Geometrical constraints and materials	106
5.5.1.1	Material requirements	106
5.5.1.2	Geometrical constraints	106
5.5.2	Design action effects	107
5.5.2.1	Beams	107
5.5.2.2	Columns	107
5.5.2.3	Beam-column joints	107
5.5.2.4	Ductile Walls	108
5.5.3	ULS verifications and detailing	109
5.5.3.1	Beams	109
5.5.3.2	Columns	111
5.5.3.3	Beam-column joints	112
5.5.3.4	Ductile Walls	114
5.5.3.5	Coupling elements of coupled walls	119
5.6	PROVISIONS FOR ANCHORAGES AND SPLICES	120
5.6.1	General	120
5.6.2	Anchorage of reinforcement	120
5.6.2.1	Columns	120
5.6.2.2	Beams	120
5.6.3	Splicing of bars	122
5.7	DESIGN AND DETAILING OF SECONDARY SEISMIC ELEMENTS	123
5.8	CONCRETE FOUNDATION ELEMENTS	123
5.8.1	Scope	123
5.8.2	Tie-beams and foundation beams	124
5.8.3	Connections of vertical elements with foundation beams or walls	125
5.8.4	Cast-in-place concrete piles and pile caps	125
5.9	LOCAL EFFECTS DUE TO MASONRY OR CONCRETE INFILLS	126
5.10	PROVISIONS FOR CONCRETE DIAPHRAGMS	127
5.11	PRECAST CONCRETE STRUCTURES	127
5.11.1	General	127
5.11.1.1	Scope and structural types	127
5.11.1.2	Evaluation of precast structures	128
5.11.1.3	Design criteria	129
5.11.1.4	Behaviour factors	130
5.11.1.5	Analysis of transient situation	130
5.11.2	Connections of precast elements	131
5.11.2.1	General provisions	131
5.11.2.2	Evaluation of the resistance of connections	132
5.11.3	Elements	132

5.11.3.1	Beams.....	132
5.11.3.2	Columns.....	132
5.11.3.3	Beam-column joints.....	133
5.11.3.4	Precast large-panel walls.....	133
5.11.3.5	Diaphragms.....	135
6	SPECIFIC RULES FOR STEEL BUILDINGS.....	137
6.1	GENERAL.....	137
6.1.1	Scope.....	137
6.1.2	Design concepts.....	137
6.1.3	Safety verifications.....	138
6.2	MATERIALS.....	138
6.3	STRUCTURAL TYPES AND BEHAVIOUR FACTORS.....	140
6.3.1	Structural types.....	140
6.3.2	Behaviour factors.....	143
6.4	STRUCTURAL ANALYSIS.....	144
6.5	DESIGN CRITERIA AND DETAILING RULES FOR DISSIPATIVE STRUCTURAL BEHAVIOUR COMMON TO ALL STRUCTURAL TYPES.....	144
6.5.1	General.....	144
6.5.2	Design criteria for dissipative structures.....	144
6.5.3	Design rules for dissipative elements in compression or bending.....	145
6.5.4	Design rules for parts or elements in tension.....	145
6.5.5	Design rules for connections in dissipative zones.....	145
6.6	DESIGN AND DETAILING RULES FOR MOMENT RESISTING FRAMES.....	146
6.6.1	Design criteria.....	146
6.6.2	Beams.....	146
6.6.3	Columns.....	147
6.6.4	Beam to column connections.....	149
6.7	DESIGN AND DETAILING RULES FOR FRAMES WITH CONCENTRIC BRACINGS.....	150
6.7.1	Design criteria.....	150
6.7.2	Analysis.....	151
6.7.3	Diagonal members.....	152
6.7.4	Beams and columns.....	152
6.8	DESIGN AND DETAILING RULES FOR FRAMES WITH ECCENTRIC BRACINGS.....	153
6.8.1	Design criteria.....	153
6.8.2	Seismic links.....	154
6.8.3	Members not containing seismic links.....	157
6.8.4	Connections of the seismic links.....	158
6.9	DESIGN RULES FOR INVERTED PENDULUM STRUCTURES.....	158
6.10	DESIGN RULES FOR STEEL STRUCTURES WITH CONCRETE CORES OR CONCRETE WALLS AND FOR MOMENT RESISTING FRAMES COMBINED WITH CONCENTRIC BRACINGS OR INFILLS.....	159
6.10.1	Structures with concrete cores or concrete walls.....	159
6.10.2	Moment resisting frames combined with concentric bracings.....	159
6.10.3	Moment resisting frames combined with infills.....	159
6.11	CONTROL OF DESIGN AND CONSTRUCTION.....	159
7	SPECIFIC RULES FOR COMPOSITE STEEL – CONCRETE BUILDINGS.....	161
7.1	GENERAL.....	161
7.1.1	Scope.....	161
7.1.2	Design concepts.....	161
7.1.3	Safety verifications.....	162
7.2	MATERIALS.....	163
7.2.1	Concrete.....	163
7.2.2	Reinforcing steel.....	163
7.2.3	Structural steel.....	163
7.3	STRUCTURAL TYPES AND BEHAVIOUR FACTORS.....	163
7.3.1	Structural types.....	163
7.3.2	Behaviour factors.....	165
7.4	STRUCTURAL ANALYSIS.....	165
7.4.1	Scope.....	165
7.4.2	Stiffness of sections.....	166

EN 1998-1:2004 (E)

7.5	DESIGN CRITERIA AND DETAILING RULES FOR DISSIPATIVE STRUCTURAL BEHAVIOUR COMMON TO ALL STRUCTURAL TYPES.....	166
7.5.1	General	166
7.5.2	Design criteria for dissipative structures	166
7.5.3	Plastic resistance of dissipative zones	167
7.5.4	Detailing rules for composite connections in dissipative zones.....	167
7.6	RULES FOR MEMBERS	170
7.6.1	General	170
7.6.2	Steel beams composite with slab	172
7.6.3	Effective width of slab.....	174
7.6.4	Fully encased composite columns	176
7.6.5	Partially-encased members	178
7.6.6	Filled Composite Columns	179
7.7	DESIGN AND DETAILING RULES FOR MOMENT FRAMES.....	179
7.7.1	Specific criteria.....	179
7.7.2	Analysis.....	180
7.7.3	Rules for beams and columns.....	180
7.7.4	Beam to column connections.....	181
7.7.5	Condition for disregarding the composite character of beams with slab.....	181
7.8	DESIGN AND DETAILING RULES FOR COMPOSITE CONCENTRICALLY BRACED FRAMES.....	181
7.8.1	Specific criteria.....	181
7.8.2	Analysis.....	181
7.8.3	Diagonal members.....	181
7.8.4	Beams and columns.....	181
7.9	DESIGN AND DETAILING RULES FOR COMPOSITE ECCENTRICALLY BRACED FRAMES	181
7.9.1	Specific criteria.....	181
7.9.2	Analysis.....	182
7.9.3	Links.....	182
7.9.4	Members not containing seismic links.....	183
7.10	DESIGN AND DETAILING RULES FOR STRUCTURAL SYSTEMS MADE OF REINFORCED CONCRETE SHEAR WALLS COMPOSITE WITH STRUCTURAL STEEL ELEMENTS.....	183
7.10.1	Specific criteria.....	183
7.10.2	Analysis.....	185
7.10.3	Detailing rules for composite walls of ductility class DCM.....	185
7.10.4	Detailing rules for coupling beams of ductility class DCM.....	186
7.10.5	Additional detailing rules for ductility class DCH.....	186
7.11	DESIGN AND DETAILING RULES FOR COMPOSITE STEEL PLATE SHEAR WALLS	186
7.11.1	Specific criteria.....	186
7.11.2	Analysis.....	187
7.11.3	Detailing rules.....	187
7.12	CONTROL OF DESIGN AND CONSTRUCTION	187
8	SPECIFIC RULES FOR TIMBER BUILDINGS.....	188
8.1	GENERAL	188
8.1.1	Scope	188
8.1.2	Definitions	188
8.1.3	Design concepts.....	188
8.2	MATERIALS AND PROPERTIES OF DISSIPATIVE ZONES	189
8.3	DUCTILITY CLASSES AND BEHAVIOUR FACTORS.....	190
8.4	STRUCTURAL ANALYSIS	191
8.5	DETAILING RULES	191
8.5.1	General	191
8.5.2	Detailing rules for connections.....	192
8.5.3	Detailing rules for horizontal diaphragms	192
8.6	SAFETY VERIFICATIONS	192
8.7	CONTROL OF DESIGN AND CONSTRUCTION	193
9	SPECIFIC RULES FOR MASONRY BUILDINGS	194
9.1	SCOPE	194
9.2	MATERIALS AND BONDING PATTERNS	194

9.2.1	Types of masonry units.....	194
9.2.2	Minimum strength of masonry units.....	194
9.2.3	Mortar.....	194
9.2.4	Masonry bond.....	194
9.3	TYPES OF CONSTRUCTION AND BEHAVIOUR FACTORS.....	195
9.4	STRUCTURAL ANALYSIS.....	196
9.5	DESIGN CRITERIA AND CONSTRUCTION RULES.....	197
9.5.1	General.....	197
9.5.2	Additional requirements for unreinforced masonry satisfying EN 1998-1.....	198
9.5.3	Additional requirements for confined masonry.....	198
9.5.4	Additional requirements for reinforced masonry.....	199
9.6	SAFETY VERIFICATION.....	200
9.7	RULES FOR “SIMPLE MASONRY BUILDINGS”.....	200
9.7.1	General.....	200
9.7.2	Rules.....	200
10	BASE ISOLATION.....	203
10.1	SCOPE.....	203
10.2	DEFINITIONS.....	203
10.3	FUNDAMENTAL REQUIREMENTS.....	204
10.4	COMPLIANCE CRITERIA.....	205
10.5	GENERAL DESIGN PROVISIONS.....	205
10.5.1	General provisions concerning the devices.....	205
10.5.2	Control of undesirable movements.....	206
10.5.3	Control of differential seismic ground motions.....	206
10.5.4	Control of displacements relative to surrounding ground and constructions.....	206
10.5.5	Conceptual design of base isolated buildings.....	206
10.6	SEISMIC ACTION.....	207
10.7	BEHAVIOUR FACTOR.....	207
10.8	PROPERTIES OF THE ISOLATION SYSTEM.....	207
10.9	STRUCTURAL ANALYSIS.....	208
10.9.1	General.....	208
10.9.2	Equivalent linear analysis.....	208
10.9.3	Simplified linear analysis.....	209
10.9.4	Modal simplified linear analysis.....	211
10.9.5	Time-history analysis.....	211
10.9.6	Non structural elements.....	211
10.10	SAFETY VERIFICATIONS AT ULTIMATE LIMIT STATE.....	211
	ANNEX A (INFORMATIVE) ELASTIC DISPLACEMENT RESPONSE SPECTRUM.....	213
	ANNEX B (INFORMATIVE) DETERMINATION OF THE TARGET DISPLACEMENT FOR NONLINEAR STATIC (PUSHOVER) ANALYSIS.....	215
	ANNEX C (NORMATIVE) DESIGN OF THE SLAB OF STEEL-CONCRETE COMPOSITE BEAMS AT BEAM-COLUMN JOINTS IN MOMENT RESISTING FRAMES.....	219

Foreword

This European Standard EN 1998-1, Eurocode 8: Design of structures for earthquake resistance: General rules, seismic actions and rules for buildings, has been prepared by Technical Committee CEN/TC 250 "Structural Eurocodes", the secretariat of which is held by BSI. CEN/TC 250 is responsible for all Structural Eurocodes.

This European Standard shall be given the status of a National Standard, either by publication of an identical text or by endorsement, at the latest by June 2005, and conflicting national standards shall be withdrawn at latest by March 2010.

This document supersedes ENV 1998-1-1:1994, ENV 1998-1-2:1994 and ENV 1998-1-3:1995.

According to the CEN-CENELEC Internal Regulations, the National Standard Organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Background of the Eurocode programme

In 1975, the Commission of the European Community decided on an action programme in the field of construction, based on article 95 of the Treaty. The objective of the programme was the elimination of technical obstacles to trade and the harmonisation of technical specifications.

Within this action programme, the Commission took the initiative to establish a set of harmonised technical rules for the design of construction works which, in a first stage, would serve as an alternative to the national rules in force in the Member States and, ultimately, would replace them.

For fifteen years, the Commission, with the help of a Steering Committee with Representatives of Member States, conducted the development of the Eurocodes programme, which led to the first generation of European codes in the 1980's.

In 1989, the Commission and the Member States of the EU and EFTA decided, on the basis of an agreement¹ between the Commission and CEN, to transfer the preparation and the publication of the Eurocodes to CEN through a series of Mandates, in order to provide them with a future status of European Standard (EN). This links *de facto* the Eurocodes with the provisions of all the Council's Directives and/or Commission's Decisions dealing with European standards (e.g. the Council Directive 89/106/EEC on construction products - CPD - and Council Directives 93/37/EEC, 92/50/EEC and 89/440/EEC on public works and services and equivalent EFTA Directives initiated in pursuit of setting up the internal market).

¹ Agreement between the Commission of the European Communities and the European Committee for Standardisation (CEN) concerning the work on EUROCODES for the design of building and civil engineering works (BC/CEN/03/89).

The Structural Eurocode programme comprises the following standards generally consisting of a number of Parts:

- EN 1990 Eurocode: Basis of structural design
- EN 1991 Eurocode 1: Actions on structures
- EN 1992 Eurocode 2: Design of concrete structures
- EN 1993 Eurocode 3: Design of steel structures
- EN 1994 Eurocode 4: Design of composite steel and concrete structures
- EN 1995 Eurocode 5: Design of timber structures
- EN 1996 Eurocode 6: Design of masonry structures
- EN 1997 Eurocode 7: Geotechnical design
- EN 1998 Eurocode 8: Design of structures for earthquake resistance
- EN 1999 Eurocode 9: Design of aluminium structures

Eurocode standards recognise the responsibility of regulatory authorities in each Member State and have safeguarded their right to determine values related to regulatory safety matters at national level where these continue to vary from State to State.

Status and field of application of Eurocodes

The Member States of the EU and EFTA recognise that Eurocodes serve as reference documents for the following purposes:

- as a means to prove compliance of building and civil engineering works with the essential requirements of Council Directive 89/106/EEC, particularly Essential Requirement N°1 - Mechanical resistance and stability - and Essential Requirement N°2 - Safety in case of fire;
- as a basis for specifying contracts for construction works and related engineering services;
- as a framework for drawing up harmonised technical specifications for construction products (ENs and ETAs)

The Eurocodes, as far as they concern the construction works themselves, have a direct relationship with the Interpretative Documents² referred to in Article 12 of the CPD, although they are of a different nature from harmonised product standards³. Therefore, technical aspects arising from the Eurocodes work need to be adequately considered by

² According to Art. 3.3 of the CPD, the essential requirements (ERs) shall be given concrete form in interpretative documents for the creation of the necessary links between the essential requirements and the mandates for hENs and ETAGs/ETAs.

³ According to Art. 12 of the CPD the interpretative documents shall :

- a) give concrete form to the essential requirements by harmonising the terminology and the technical bases and indicating classes or levels for each requirement where necessary ;
- b) indicate methods of correlating these classes or levels of requirement with the technical specifications, e.g. methods of calculation and of proof, technical rules for project design, etc. ;
- c) serve as a reference for the establishment of harmonised standards and guidelines for European technical approvals.

The Eurocodes, *de facto*, play a similar role in the field of the ER 1 and a part of ER 2.

EN 1998-1:2004 (E)

CEN Technical Committees and/or EOTA Working Groups working on product standards with a view to achieving a full compatibility of these technical specifications with the Eurocodes.

The Eurocode standards provide common structural design rules for everyday use for the design of whole structures and component products of both a traditional and an innovative nature. Unusual forms of construction or design conditions are not specifically covered and additional expert consideration will be required by the designer in such cases.

National Standards implementing Eurocodes

The National Standards implementing Eurocodes will comprise the full text of the Eurocode (including any annexes), as published by CEN, which may be preceded by a National title page and National foreword, and may be followed by a National annex (informative).

The National annex may only contain information on those parameters which are left open in the Eurocode for national choice, known as Nationally Determined Parameters, to be used for the design of buildings and civil engineering works to be constructed in the country concerned, i.e. :

- values and/or classes where alternatives are given in the Eurocode,
- values to be used where a symbol only is given in the Eurocode,
- country specific data (geographical, climatic, etc.), *e.g.* snow map,
- the procedure to be used where alternative procedures are given in the Eurocode.

It may also contain

- decisions on the application of informative annexes,
- references to non-contradictory complementary information to assist the user to apply the Eurocode.

Links between Eurocodes and harmonised technical specifications (ENs and ETAs) for products

There is a need for consistency between the harmonised technical specifications for construction products and the technical rules for works⁴. Furthermore, all the information accompanying the CE Marking of the construction products which refer to Eurocodes shall clearly mention which Nationally Determined Parameters have been taken into account.

Additional information specific to EN 1998-1

The scope of EN 1998 is defined in **1.1.1** and the scope of this Part of EN 1998 is defined in **1.1.2**. Additional Parts of EN 1998 are listed in **1.1.3**.

⁴ See Art.3.3 and Art.12 of the CPD, as well as clauses 4.2, 4.3.1, 4.3.2 and 5.2 of ID 1.

EN 1998-1 was developed from the merger of ENV 1998-1-1:1994, ENV 1998-1-2:1994 and ENV 1998-1-3:1995. As mentioned in **1.1.1**, attention must be paid to the fact that for the design of structures in seismic regions the provisions of EN 1998 are to be applied in addition to the provisions of the other relevant EN 1990 to EN 1997 and EN 1999.

One fundamental issue in EN 1998-1 is the definition of the seismic action. Given the wide difference of seismic hazard and seismo-genetic characteristics in the various member countries, the seismic action is herein defined in general terms. The definition allows various Nationally Determined Parameters (NDP) which should be confirmed or modified in the National Annexes.

It is however considered that, by the use of a common basic model for the representation of the seismic action, an important step is taken in EN 1998-1 in terms of Code harmonisation.

EN 1998-1 contains in its section related to masonry buildings specific provisions which simplify the design of "simple masonry buildings".

National annex for EN 1998-1

This standard gives alternative procedures, values and recommendations for classes with notes indicating where national choices may be made. Therefore the National Standard implementing EN 1998-1 should have a National Annex containing all Nationally Determined Parameters to be used for the design of buildings and civil engineering works to be constructed in the relevant country.

National choice is allowed in EN 1998-1:2004 through clauses:

Reference	Item
1.1.2(7)	Informative Annexes A and B.
2.1(1)P	Reference return period T_{NCR} of seismic action for the no-collapse requirement (or, equivalently, reference probability of exceedance in 50 years, P_{NCR}).
2.1(1)P	Reference return period T_{DLR} of seismic action for the damage limitation requirement. (or, equivalently, reference probability of exceedance in 10 years, P_{DLR}).
3.1.1(4)	Conditions under which ground investigations additional to those necessary for design for non-seismic actions may be omitted and default ground classification may be used.
3.1.2(1)	Ground classification scheme accounting for deep geology, including values of parameters S , T_B , T_C and T_D defining horizontal and vertical elastic response spectra in accordance with 3.2.2.2 and 3.2.2.3 .
3.2.1(1), (2),(3)	Seismic zone maps and reference ground accelerations therein.
3.2.1(4)	Governing parameter (identification and value) for threshold of low seismicity .

3.2.1(5)	Governing parameter (identification and value) for threshold of very low seismicity .
3.2.2.1(4), 3.2.2.2(1)P	Parameters S , T_B , T_C , T_D defining shape of horizontal elastic response spectra.
3.2.2.3(1)P	Parameters a_{vg} , T_B , T_C , T_D defining shape of vertical elastic response spectra.
3.2.2.5(4)P	Lower bound factor β on design spectral values.
4.2.3.2(8)	Reference to definitions of centre of stiffness and of torsional radius in multi-storey buildings meeting or not conditions (a) and (b) of 4.2.3.2(8)
4.2.4(2)P	Values of φ for buildings.
4.2.5(5)P	Importance factor γ_I for buildings.
4.3.3.1 (4)	Decision on whether nonlinear methods of analysis may be applied for the design of non-base-isolated buildings. Reference to information on member deformation capacities and the associated partial factors for the Ultimate Limit State for design or evaluation on the basis of nonlinear analysis methods.
4.3.3.1 (8)	Threshold value of importance factor, γ_I , relating to the permitted use of analysis with two planar models.
4.4.2.5 (2).	Overstrength factor γ_{Rd} for diaphragms.
4.4.3.2 (2)	Reduction factor ν for displacements at damage limitation limit state
5.2.1(5)	Geographical limitations on use of ductility classes for concrete buildings.
5.2.2.2(10)	q_o -value for concrete buildings subjected to special Quality System Plan.
5.2.4(1), (3)	Material partial factors for concrete buildings in the seismic design situation.
5.4.3.5.2(1)	Minimum web reinforcement of large lightly reinforced concrete walls
5.8.2(3)	Minimum cross-sectional dimensions of concrete foundation beams.
5.8.2(4)	Minimum thickness and reinforcement ratio of concrete foundation slabs.
5.8.2(5)	Minimum reinforcement ratio of concrete foundation beams.
5.11.1.3.2(3)	Ductility class of precast wall panel systems.
5.11.1.4	q -factors of precast systems.
5.11.1.5(2)	Seismic action during erection of precast structures.
5.11.3.4(7)e	Minimum longitudinal steel in grouted connections of large panel

	walls.
6.1.2(1)	Upper limit of q for low-dissipative structural behaviour concept; limitations on structural behaviour concept; geographical limitations on use of ductility classes for steel buildings.
6.1.3(1)	Material partial factors for steel buildings in the seismic design situation.
6.2(3)	Overstrength factor for capacity design of steel buildings.
6.2 (7)	Information as to how EN 1993-1-10:2004 may be used in the seismic design situation
6.5.5(7)	Reference to complementary rules on acceptable connection design
6.7.4(2)	Residual post-buckling resistance of compression diagonals in steel frames with V -bracings.
7.1.2(1)	Upper limit of q for low-dissipative structural behaviour concept; limitations on structural behaviour concept; geographical limitations on use of ductility classes for composite steel-concrete buildings.
7.1.3(1), (3)	Material partial factors for composite steel-concrete buildings in the seismic design situation.
7.1.3(4)	Overstrength factor for capacity design of composite steel-concrete buildings
7.7.2(4)	Stiffness reduction factor for concrete part of a composite steel-concrete column section
8.3(1)	Ductility class for timber buildings.
9.2.1(1)	Type of masonry units with sufficient robustness.
9.2.2(1)	Minimum strength of masonry units.
9.2.3(1)	Minimum strength of mortar in masonry buildings.
9.2.4(1)	Alternative classes for perpend joints in masonry
9.3(2)	Conditions for use of unreinforced masonry satisfying provisions of EN 1996 alone.
9.3(2)	Minimum effective thickness of unreinforced masonry walls satisfying provisions of EN 1996 alone.
9.3(3)	Maximum value of ground acceleration for the use of unreinforced masonry satisfying provisions of EN. 1998-1
9.3(4), Table 9.1	q -factor values in masonry buildings.
9.3(4), Table 9.1	q -factors for buildings with masonry systems which provide enhanced ductility.
9.5.1(5)	Geometric requirements for masonry shear walls.
9.6(3)	Material partial factors in masonry buildings in the seismic design situation.

EN 1998-1:2004 (E)

9.7.2(1)	Maximum number of storeys and minimum area of shear walls of “simple masonry building”.
9.7.2(2)b	Minimum aspect ratio in plan of “simple masonry buildings”.
9.7.2(2)c	Maximum floor area of recesses in plan for “simple masonry buildings”.
9.7.2(5)	Maximum difference in mass and wall area between adjacent storeys of “simple masonry buildings”.
10.3(2)P	Magnification factor on seismic displacements for isolation devices.

1 GENERAL

1.1 Scope

1.1.1 Scope of EN 1998

(1)P EN 1998 applies to the design and construction of buildings and civil engineering works in seismic regions. Its purpose is to ensure that in the event of earthquakes:

- human lives are protected;
- damage is limited; and
- structures important for civil protection remain operational.

NOTE The random nature of the seismic events and the limited resources available to counter their effects are such as to make the attainment of these goals only partially possible and only measurable in probabilistic terms. The extent of the protection that can be provided to different categories of buildings, which is only measurable in probabilistic terms, is a matter of optimal allocation of resources and is therefore expected to vary from country to country, depending on the relative importance of the seismic risk with respect to risks of other origin and on the global economic resources.

(2)P Special structures, such as nuclear power plants, offshore structures and large dams, are beyond the scope of EN 1998.

(3)P EN 1998 contains only those provisions that, in addition to the provisions of the other relevant Eurocodes, must be observed for the design of structures in seismic regions. It complements in this respect the other Eurocodes.

(4) EN 1998 is subdivided into various separate Parts (see **1.1.2** and **1.1.3**).

1.1.2 Scope of EN 1998-1

(1) EN 1998-1 applies to the design of buildings and civil engineering works in seismic regions. It is subdivided in 10 Sections, some of which are specifically devoted to the design of buildings.

(2) Section **2** of EN 1998-1 contains the basic performance requirements and compliance criteria applicable to buildings and civil engineering works in seismic regions.

(3) Section **3** of EN 1998-1 gives the rules for the representation of seismic actions and for their combination with other actions. Certain types of structures, dealt with in EN 1998-2 to EN 1998-6, need complementing rules which are given in those Parts.

(4) Section **4** of EN 1998-1 contains general design rules relevant specifically to buildings.

(5) Sections **5** to **9** of EN 1998-1 contain specific rules for various structural materials and elements, relevant specifically to buildings as follows:

EN 1998-1:2004 (E)

- Section 5: Specific rules for concrete buildings;
- Section 6: Specific rules for steel buildings;
- Section 7: Specific rules for composite steel-concrete buildings;
- Section 8: Specific rules for timber buildings;
- Section 9: Specific rules for masonry buildings.

(6) Section 10 contains the fundamental requirements and other relevant aspects of design and safety related to base isolation of structures and specifically to base isolation of buildings.

NOTE Specific rules for isolation of bridges are developed in EN 1998-2.

(7) Annex C contains additional elements related to the design of slab reinforcement in steel-concrete composite beams at beam-column joints of moment frames.

NOTE Informative Annex A and informative Annex B contain additional elements related to the elastic displacement response spectrum and to target displacement for pushover analysis.

1.1.3 Further Parts of EN 1998

(1)P Further Parts of EN 1998 include, in addition to EN 1998-1, the following:

- EN 1998-2 contains specific provisions relevant to bridges;
- EN 1998-3 contains provisions for the seismic assessment and retrofitting of existing buildings;
- EN 1998-4 contains specific provisions relevant to silos, tanks and pipelines;
- EN 1998-5 contains specific provisions relevant to foundations, retaining structures and geotechnical aspects;
- EN 1998-6 contains specific provisions relevant to towers, masts and chimneys.

1.2 Normative References

(1)P This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

1.2.1 General reference standards

EN 1990 Eurocode - Basis of structural design

EN 1992-1-1 Eurocode 2 – Design of concrete structures – Part 1-1: General – Common rules for building and civil engineering structures

EN 1993-1-1 Eurocode 3 – Design of steel structures – Part 1-1: General – General rules