

Beton – Specifikation, egenskaber, produktion og overensstemmelse

Concrete – Specification, performance, production and conformity

A large, thin, black curved line that starts at the bottom left, rises to a peak in the middle, and then descends towards the bottom right, framing the contact information.

DANSK STANDARD
Danish Standards Association

Göteborg Plads 1
DK-2150 Nordhavn
Tel: +45 39 96 61 01
dansk.standard@ds.dk
www.ds.dk

DS/EN 206:2013+A2:2021

København

DS projekt: M347176

ICS: 91.100.30

Første del af denne publikations betegnelse er:

DS/EN, hvilket betyder, at det er en europæisk standard, der har status som dansk standard.

Denne publikations overensstemmelse er:

IDT med: EN 206:2013+A2:2021

DS-publikationen er på engelsk.

Denne publikation erstatter: [DS/EN 206:2013+A1:2016](#)

DS-publikationstyper

Dansk Standard udgiver forskellige publikationstyper.

Typen på denne publikation fremgår af forsiden.

Der kan være tale om:

Dansk standard

- standard, der er udarbejdet på nationalt niveau, eller som er baseret på et andet lands nationale standard, eller
- standard, der er udarbejdet på internationalt og/eller europæisk niveau, og som har fået status som dansk standard

DS-information

- publikation, der er udarbejdet på nationalt niveau, og som ikke har opnået status som standard, eller
- publikation, der er udarbejdet på internationalt og/eller europæisk niveau, og som ikke har fået status som standard, fx en teknisk rapport, eller
- europæisk præstandard

DS-håndbog

- samling af standarder, eventuelt suppleret med informativt materiale

DS-hæfte

- publikation med informativt materiale

Til disse publikationstyper kan endvidere udgives

- tillæg og rettelsesblade

DS-publikationsform

Publikationstyperne udgives i forskellig form som henholdsvis

- fuldttekstpublikation (publikationen er trykt i sin helhed)
- godkendelsesblad (publikationen leveres i kopi med et trykt DS-omslag)
- elektronisk (publikationen leveres på et elektronisk medie)

DS-betegnelse

Alle DS-publikationers betegnelse begynder med DS efterfulgt af et eller flere præfikser og et nr., fx **DS 383**, **DS/EN 5414** osv. Hvis der efter nr. er angivet et **A** eller **Cor**, betyder det, enten at det er et **tillæg** eller et **rettelsesblad** til hovedstandard, eller at det er indført i hovedstandard.

DS-betegnelse angives på forsiden.

Overensstemmelse med anden publikation:

Overensstemmelse kan enten være IDT, EQV, NEQ eller MOD

- **IDT:** Når publikationen er identisk med en given publikation.
- **EQV:** Når publikationen teknisk er i overensstemmelse med en given publikation, men præsentationen er ændret.
- **NEQ:** Når publikationen teknisk eller præsentationsmæssigt ikke er i overensstemmelse med en given standard, men udarbejdet på baggrund af denne.
- **MOD:** Når publikationen er modificeret i forhold til en given publikation.

EUROPEAN STANDARD

EN 206+A2

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2021

ICS 91.100.30

English Version

Concrete - Specification, performance, production and conformity

Béton - Spécification, performances,
production et conformité

Beton - Festlegung, Eigenschaften,
Herstellung und Konformität

This European Standard was approved by CEN on 27 July 2016 and includes Amendment 2 approved by CEN on 4 January 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword	5
Introduction	7
1 Scope	8
2 Normative references	9
3 Terms, definitions, symbols and abbreviations	10
3.1 Terms and definitions.....	10
3.1.1 General.....	10
3.1.2 Constituents.....	13
3.1.3 Fresh concrete.....	15
3.1.4 Hardened concrete.....	17
3.1.5 Conformity and production control.....	17
3.2 Symbols and abbreviations.....	19
4 Classification	21
4.1 Exposure classes related to environmental actions.....	21
4.2 Classes for properties of fresh concrete.....	24
4.2.1 Consistence classes.....	24
4.2.2 Classes for additional properties of SCC.....	25
4.3 Classes for properties of hardened concrete.....	27
4.3.1 Compressive strength classes.....	27
4.3.2 Density classes for lightweight concrete.....	28
5 Requirements for concrete and methods of verification	28
5.1 Basic requirements for constituents.....	28
5.1.1 General.....	28
5.1.2 Cement.....	29
5.1.3 Aggregates.....	29
5.1.4 Mixing water.....	29
5.1.5 Admixtures.....	29
5.1.6 Additions (including mineral fillers and pigments).....	29
5.1.7 Fibres.....	30
5.2 Basic requirements for composition of concrete.....	30
5.2.1 General.....	30
5.2.2 Selection of cement.....	30
5.2.3 Selection of aggregates.....	31
5.2.4 Use of mixing water.....	31
5.2.5 Use of additions.....	32
5.2.6 Use of admixtures.....	34
5.2.7 Use of fibres.....	34
5.2.8 Chloride content.....	34
5.2.9 Concrete temperature.....	35
5.3 Requirements related to exposure classes.....	35
5.3.1 General.....	35
5.3.2 Limiting values for concrete composition.....	36
5.3.3 Performance-related methods.....	36
5.4 Requirements for fresh concrete.....	36
5.4.1 Consistence, viscosity, passing ability and resistance to segregation.....	36
5.4.2 Cement content and water/cement ratio.....	37
5.4.3 Air content.....	38
5.4.4 Fibre content.....	38
5.5 Requirements for hardened concrete.....	38
5.5.1 Strength.....	38
5.5.2 Density.....	39
5.5.3 Resistance to water penetration.....	39

5.5.4	Reaction to fire	39
6	Specification of concrete	39
6.1	General.....	39
6.2	Specification for designed concrete.....	40
6.2.1	General.....	40
6.2.2	Basic requirements.....	40
6.2.3	Additional requirements.....	41
6.3	Specification for prescribed concrete	42
6.3.1	General.....	42
6.3.2	Basic requirements.....	42
6.3.3	Additional requirements.....	42
6.4	Specification of standardized prescribed concrete	42
7	Delivery of fresh concrete	43
7.1	Information from the user of the concrete to the producer.....	43
7.2	Information from the producer of the concrete to the user.....	43
7.3	Delivery ticket for ready-mixed concrete.....	44
7.4	Delivery information for site-mixed concrete.....	45
7.5	Mix adjustments after the main mixing process and prior to discharge	45
8	Conformity control and conformity criteria.....	45
8.1	General.....	45
8.2	Conformity control for designed concrete.....	46
8.2.1	Conformity control for compressive strength.....	46
8.2.2	Conformity control for tensile splitting strength.....	50
8.2.3	Conformity control for properties other than strength	51
8.3	Conformity control of prescribed concrete including standardized prescribed concrete.....	54
8.4	Actions in the case of non-conformity of the product.....	55
9	Production control.....	55
9.1	General.....	55
9.2	Production control systems.....	56
9.3	Recorded data and other documents.....	56
9.4	Testing.....	57
9.5	Concrete composition and initial testing.....	57
9.6	Personnel, equipment and installation.....	57
9.6.1	Personnel.....	57
9.6.2	Equipment and installation.....	58
9.7	Batching of constituents.....	59
9.8	Mixing of concrete.....	59
9.9	Production control procedures.....	59
10	Evaluation of conformity.....	63
10.1	General.....	63
10.2	Assessment, surveillance and certification of production control.....	63
11	Designation for designed concrete.....	63
	Annex A (normative) Initial test.....	64
	Annex B (normative) Identity testing	66
	Annex C (informative) $\boxed{A_2}$ $\boxed{A_2}$ Provisions for assessment, surveillance and certification of production control	68
	Annex D (normative) Additional requirements for specification and conformity of concrete for special geotechnical works	71
	Annex E (informative) Recommendation for the use of aggregates.....	75
	Annex F (informative) Recommendation for limiting values of concrete composition.....	78

Annex G (informative) Guidelines for self-compacting concrete requirements in the fresh state.....	80
Annex H (informative) Rules of application for 8.2.1.3, Method C.....	82
Annex J (informative) Deviation to accommodate a notified Spanish Regulation.....	84
Annex K (informative) Concrete families.....	85
Annex L (informative) Further information regarding specific paragraphs.....	87
Annex M (informative) Guidance on provisions valid in the place of use.....	89
Bibliography.....	91

European foreword

^{A2} This document ([EN 206:2013+A2:2021](#)) has been prepared by Technical Committee CEN/TC 104 “Concrete and related products”, the secretariat of which is held by SN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2021 and conflicting national standards shall be withdrawn at the latest by September 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Based on a CEN/BT Decision (T 42/2013) [EN 12620:2013](#) was withdrawn. Therefore, this document has been aligned with the specifications given in [EN 12620:2002+A1:2008](#). As soon as CEN/TC 154 publishes a new version of [EN 12620](#), CEN/TC 104 intends to amend [EN 206](#).

This document includes Amendment 1 approved by CEN on 27 July 2016 and Amendment 2 approved by CEN on 4 January 2021.

The start and finish of text introduced or altered by amendment is indicated in the text by tags ^{A1} ^{A1} and ^{A2} ^{A2}.

This document supersedes [EN 206:2013+A1:2016](#).

In particular, the following main items had been subject to revision when preparing [EN 206:2013](#):

- a) adding application rules for fibre concrete and concrete with recycled aggregates;
- b) revising *k*-value concept for fly ash and silica fume and adding new rules for ground granulated blast furnace slag;
- c) introduction of principles for the performance concepts for the use of additions, e.g. equivalent concrete performance concept and equivalent performance of combinations concept;
- d) revising and adding new concepts for the conformity assessment;
- e) including [EN 206-9](#) “Additional rules for self-compacting concrete (SCC)”;
- f) including additional requirements for concrete for special geotechnical works ([Annex D](#)).

NOTE — [Annex D](#) was jointly prepared by CEN/TC 104 and CEN/TC 288.

Amendment 2 are changes deemed necessary to clarify guidance for conformity assessment in clause [10.2](#) and correcting the status of [Annex C](#) to informative. ^{A2}

[Figure 1](#) illustrates the relationships between [EN 206](#) and standards for design and execution, standards for constituents and test standards.




Figure 1 — Relationships between EN 206 and standards for design and execution, standards for constituents and test standards

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This European Standard will be applied under different climatic and geographical conditions, different levels of protection and under different, well established, regional traditions and experience. Classes for concrete properties have been introduced to cover these situations. Where such general solutions were not possible, the relevant clauses contain permission for the application of provisions valid in the place of use of the concrete.

This European Standard incorporates rules for the use of constituents that are covered by European Standards. Constituents not covered by European Standards may be used in accordance with provisions valid in the place of use of the concrete.

If the concrete is in conformity with the limiting values, the concrete in the structure is deemed to satisfy the durability requirements for the intended use in the specific environmental condition, provided:

- the appropriate exposure classes were selected;
- the concrete has the minimum cover to reinforcement in accordance with the relevant design standard required for the specific environmental condition, e.g. [EN 1992-1-1](#);
- the concrete is properly placed, compacted and cured, e.g. in accordance with [EN 13670](#) or other relevant standards;
- the appropriate maintenance is applied during the working life.

Performance based concepts as alternatives to the concept of limiting values are under development.

Concrete conforming to this European Standard may be assumed to satisfy the basic requirements for materials to be used in all three Execution Classes as defined in [EN 13670](#).

This European Standard defines tasks for the specifier, producer and user. For example, the specifier is responsible for the specification of concrete, [Clause 6](#), and the producer is responsible for conformity and production control, [Clauses 8](#) and [9](#). The user is responsible for placing the concrete in the structure. In practice there may be several different parties specifying requirements at various stages of the design and construction process, e.g. the client, the designer, the contractor, the concreting sub-contractor. Each is responsible for passing the specified requirements, together with any additional requirements, to the next party in the chain until they reach the producer. In the terms of this European Standard, this final compilation is known as the “specification of concrete”. Conversely, the specifier, producer and user may be the same party (e.g. a precast concrete manufacturer or a contractor doing design and build). In the case of ready- mixed concrete, the purchaser of the fresh concrete is the specifier who gives the specification of concrete to the producer.

This European Standard also covers the necessary exchange of information between the different parties. Contractual matters are not addressed. Where responsibilities are given for parties involved, these are technical responsibilities.

Notes and footnotes in tables of this standard are normative unless stated otherwise; other notes and footnotes are informative.

Further explanations and guidance on the application of this standard are given in other documents, such as CEN Technical Reports.

Concrete – Specification, performance, production and conformity

1 Scope

(1) This European Standard applies to concrete for structures cast in situ, precast structures, and structural precast products for buildings and civil engineering structures.

(2) The concrete under this European Standard can be:

- normal-weight, heavy-weight and light-weight;
- mixed on site, ready-mixed or produced in a plant for precast concrete products;
- compacted or self-compacting to retain no appreciable amount of entrapped air other than entrained air.

(3) This standard specifies requirements for:

- the constituents of concrete;
- the properties of fresh and hardened concrete and their verification;
- the limitations for concrete composition;
- the specification of concrete;
- the delivery of fresh concrete;
- the production control procedures;
- the conformity criteria and evaluation of conformity.

(4) Other European Standards for specific products e.g. precast products or for processes within the field of the scope of this standard may require or permit deviations.

(5) Additional or different requirements may be given for specific applications in other European Standards, for example:

- concrete to be used in roads and other trafficked areas (e.g. concrete pavements according to [EN 13877-1](#));
- special technologies (e.g. sprayed concrete according to [EN 14487](#)).

(6) Supplementing requirements or different testing procedures may be specified for specific types of concrete and applications, for example:

- concrete for massive structures (e.g. dams);
- dry mixed concrete;
- concrete with a D_{\max} of 4 mm or less (mortar);
- self-compacting concretes (SCC) containing lightweight or heavy-weight aggregates or fibres;
- concrete with open structure (e. g. pervious concrete for drainage).

(7) This standard does not apply to:

- aerated concrete;
- foamed concrete;

- concrete with density less than 800 kg/m³;
- refractory concrete.

(8) This standard does not cover health and safety requirements for the protection of workers during production and delivery of concrete.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

[EN 196-2](#), *Methods of testing cement — Part 2: Chemical analysis of cement*

[EN 197-1](#), *Cement — Part 1: Composition, specifications and conformity criteria for common cements*

[EN 450-1](#), *Fly ash for concrete — Part 1: Definition, specifications and conformity criteria*

[EN 934-1:2008](#), *Admixtures for concrete, mortar and grout — Part 1: Common requirements*

[EN 934-2](#), *Admixtures for concrete, mortar and grout — Part 2: Concrete admixtures — Definitions, requirements, conformity, marking and labelling*

[EN 1008](#), *Mixing water for concrete — Specification for sampling, testing and assessing the suitability of water, including water recovered from processes in the concrete industry, as mixing water for concrete*

[EN 1097-3](#), *Tests for mechanical and physical properties of aggregates — Part 3: Determination of loose bulk density and voids*

[EN 1097-6:2013](#), *Tests for mechanical and physical properties of aggregates — Part 6: Determination of particle density and water absorption*

[EN 1536](#), *Execution of special geotechnical work — Bored piles*

[EN 1538](#), *Execution of special geotechnical work — Diaphragm walls*

[EN 12350-1](#), *Testing fresh concrete — Part 1: Sampling*

[EN 12350-2](#), *Testing fresh concrete — Part 2: Slump-test*

[EN 12350-4](#), *Testing fresh concrete — Part 4: Degree of compactability*

[EN 12350-5](#), *Testing fresh concrete — Part 5: Flow table test*

[EN 12350-6](#), *Testing fresh concrete — Part 6: Density*

[EN 12350-7](#), *Testing fresh concrete — Part 7: Air content — Pressure methods*

[EN 12350-8](#), *Testing fresh concrete — Part 8: Self-compacting concrete — Slump-flow test*

[EN 12350-9](#), *Testing fresh concrete — Part 9: Self-compacting concrete — V-funnel test*

[EN 12350-10](#), *Testing fresh concrete — Part 10: Self-compacting concrete — L box test*

[EN 12350-11](#), *Testing fresh concrete — Part 11: Self-compacting concrete — Sieve segregation test*

[EN 12350-12](#), *Testing fresh concrete — Part 12: Self-compacting concrete — J-ring test*

[EN 12390-1](#), *Testing hardened concrete — Part 1: Shape, dimensions and other requirements for specimens and moulds*

[EN 12390-2](#), *Testing hardened concrete — Part 2: Making and curing specimens for strength tests*

[EN 12390-3](#), *Testing hardened concrete — Part 3: Compressive strength of test specimens*

[EN 12390-6](#), *Testing hardened concrete — Part 6: Tensile splitting strength of test specimens*

[EN 12390-7](#), *Testing hardened concrete — Part 7: Density of hardened concrete*

[EN 12620:2002+A1:2008](#), *Aggregates for concrete*

[EN 12699](#), *Execution of special geotechnical work — Displacement piles*

[EN 12878](#), *Pigments for the colouring of building materials based on cement and/or lime — Specifications and methods of test*

A1

[EN 13055](#), *Lightweight aggregates* **A1**

[EN 13263-1](#), *Silica fume for concrete — Part 1: Definitions, requirements and conformity criteria*

[EN 13577](#), *Chemical attack on concrete — Determination of aggressive carbon dioxide content in water*

[EN 14199](#), *Execution of special geotechnical works — Micropiles*

[EN 14216](#), *Cement — Composition, specifications and conformity criteria for very low heat special cements*

[EN 14488-7](#), *Testing sprayed concrete — Part 7: Fibre content of fibre reinforced concrete*

[EN 14721](#), *Test method for metallic fibre concrete — Measuring the fibre content in fresh and hardened concrete*

[EN 14889-1:2006](#), *Fibres for concrete — Part 1: Steel fibres — Definitions, specifications and conformity*

[EN 14889-2:2006](#), *Fibres for concrete — Part 2: Polymer fibres — Definitions, specifications and conformity*

[EN 15167-1](#), *Ground granulated blast furnace slag for use in concrete, mortar and grout — Part 1: Definitions, specifications and conformity criteria*

[prEN 16502](#), *Test method for the determination of the degree of soil acidity according to Baumann-Gully*

[EN ISO 7980](#), *Water quality — Determination of calcium and magnesium — Atomic absorption spectrometric method (ISO 7980)*

[ISO 4316](#), *Surface active agents — Determination of pH of aqueous solutions — Potentiometric method*

[ISO 7150-1](#), *Water quality — Determination of ammonium — Part 1: Manual spectrometric method*

[ASTM C 173](#), *Standard Test Method for Air Content of Freshly Mixed Concrete by the Volumetric Method*